UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/912,781	07/25/2001	Jean Louis Calvignac	RAL920010025US1	5146

26675   7590   10/05/2006

DRIGGS, HOGG & FRY CO. L.P.A.
38500 CHARDON ROAD
DEPT. IRA
WILLOUGBY HILLS, OH   44094

EXAMINER
MAIS, MARK A

ART UNIT	PAPER NUMBER
2616	

DATE MAILED: 10/05/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 10/03)

	Application No.	Applicant(s)
Office Action Summary	09/912,781	CALVIGNAC ET AL.
	Examiner	Art Unit	
	Mark A. Mais	2616	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>27 September 2006</u>.

2a)☐ This action is **FINAL.**   2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle,* 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) *21 and 22* is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) *21 and 22* is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO/SB/08)
    Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____ .

5)☐ Notice of Informal Patent Application

6)☐ Other: _____.

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37

CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible

for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been

timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR

1.114. Applicant's submission filed on September 11, 2006 has been entered.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness

rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in
> section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are
> such that the subject matter as a whole would have been obvious at the time the invention was made to a person
> having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the
> manner in which the invention was made.

3. Claims 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brewer et

al. in view of Dockser (USP 5,860,119).

4. With regard to claim 21, Brewer et al. discloses a system for transmitting multiple data frames

to deep packet processing functions in a given sequence, performing the deep packet processing

on the frames, and forwarding the processed frames to their destination in the same given

sequence, comprising

a) an input buffer for receiving frames for processing, having a buffer capacity of at least twice the size of the largest frame size, said buffer incorporated into a Data Moving Unit **[Packet Forwarding Engines 13 inspect the packet headers and performs a filtering function on the packets by destination, whether local or external, col. 3, lines 38-47; Packet Forwarding Engine 13 handles either 2 less-than-200 byte inputs from queues 102 or 1 greater-than-200 byte input from queue 103, col. 4, lines 14-18, and col. 4, line 45 to col. 5, line 14]**;

b) a Frame Header Processing Unit for determining the type of deep packet processing operation to be performed on each frame **[Packet Forwarding Engines 13 inspect the packet headers and performs a filtering function on the packets by destination, whether local or external, col. 3, lines 38-47]**;

c) a plurality of processing core engines wherein each core engine has *its own deep packet processing operation to be conducted on a frame, and* an associated memory for storing a frame assigned to the engine until the engine is free to perform a deep packet processing operation on the frame *data* **[Packet Forwarding Engines 13 inspect the packet headers and performs a filtering function on the packets by destination, whether local or external, col. 3, lines 38-47; after Packet Forwarding Engines 13-0 through 13-3 inspect the packet headers, they can also determine if the packet is intended as a local destination within the router and, accordingly, send the packet to the central processor for further processing (thus, a filtering function) [col. 3, lines 38-47]. Thus, each packet forwarding engine is interpreted as performing its own deep packet processing (filtering function); the ability for packet forwarding engines to inspect packet headers necessarily requires an associated memory for buffering/queuing and processing]**;

d) an arbitrator for assigning an ascending frame sequence number to each frame and for

forwarding each frame to one of the core engines for deep-packet processing [**Fig. 1, ASIC 11**

determines exit path selection for all packets that enter processing block 101 (what Packet

Forwarding Engine 13 to send to) and inserts a sequence number on each packet, col. 3,

lines 24-29];

e) an output buffer for collecting each frame as it is processed by a core engine, said

buffer having a buffer capacity of at least twice the size of the largest frame size comprising a

portion of the Data Moving Unit [**Fig. 1, reorder queues 105, 106, and 107 combine the**

payload with the header information, col. 6, lines 1-4]; and

f) a sequencer for forwarding processed frames from the output buffer to their destination

in the same order as they are received by the input buffer [**Fig. 1, packet ordering block 108**

examines reorder queues 105, 106, and 107 for sequence numbers and sends the packets

out in the original order, col. 6, lines 1-20].

Brewer et al. does not specifically disclose input and output buffers having a buffer capacity at

least twice the size of the largest frame to be processed. However, Dockser discloses a packet

FIFO that makes more effective use of a packet-data channel [**col. 1, lines 8-10**]. Greater-than-

one-maximum-sized-packet capacity buffers reduce packet latencies [**col. 2, lines 39-58**].

Dockser discloses FIFOs, which are at least twice the maximum-sized frame length [**col. 3, lines**

38-43; col. 4, lines 6-17]. Thus, it would have been obvious to one of ordinary skill in the art at

the time of the invention to have modified the input queues of Brewer et al. to have a capacity of

at least twice the largest frame received because such a double/triple/quadruple-sized buffer

increases speed and efficiency **[col. 3, lines 5-7]** and makes better use of a packet-data channel **[col.3, lines 40-43]**.

5. With regard to claim 22, Brewer et al. discloses a method of transmitting multiple data frames to deep packet processing functions in a given sequence, performing the deep packet processing on the frames and forwarding the processed frames to their destination in the same given sequence, comprising the steps of:

a) receiving frames into an input buffer that is incorporated into a Data Moving Unit, said buffer having a buffer capacity of at least twice the size of the largest frame size to be processed **[Packet Forwarding Engines 13 inspect the packet headers and performs a filtering function on the packets by destination, whether local or external, col. 3, lines 38-47; Packet Forwarding Engine 13 handles either 2 less-than-200 byte inputs from queues 102 or 1 greater-than-200 byte input from queue 103, col. 4, lines 14-18, and col. 4, line 45 to col. 5, line 14]**;

b) determining the type of deep packet processing operation to be performed on each frame, using a Frame Header Processing Unit **[Packet Forwarding Engines 13 inspect the packet headers and performs a filtering function on the packets by destination, whether local or external, col. 3, lines 38-47; the ability for packet forwarding engines to inspect packet headers necessarily requires an associated memory for buffering/queuing and processing]**;

c) assigning each frame to one of a plurality of processing core engines, *based upon the processing operation to be conducted on the frame,* each frame being stored in a memory

associated with a core engine until the engine is free to perform the processing operation on the

frame; d) performing at least one deep-packet processing operation on *the data in* each frame

[Fig. 1, ASIC 11 determines exit path selection for all packets that enter processing block

101 (what Packet Forwarding Engine 13 to send to) and inserts a sequence number on each

packet, col. 3, lines 24-29; Packet Forwarding Engines 13 inspect the packet headers and

performs a filtering function on the packets by destination, whether local or external, col. 3,

lines 38-47; after Packet Forwarding Engines 13-0 through 13-3 inspect the packet headers,

they can also determine if the packet is intended as a local destination within the router

and, accordingly, send the packet to the central processor for further processing (thus, a

filtering function) [col. 3, lines 38-47]. Thus, each packet forwarding engine is interpreted

as performing its own deep packet processing (filtering function)];

       e) collecting the processed frames in an output buffer that is incorporated into a Data

Moving Unit, said buffer having a buffer capacity of at least twice the size of the largest frame

size to be processed **[Fig. 1, reorder queues 105, 106, and 107 combine the payload with the**

header information, col. 6, lines 1-4]; and

      f) sequencing and forwarding processed frames to their destination in the same order as

received into the input buffer **[Fig. 1, packet ordering block 108 examines reorder queues**

105, 106, and 107 for sequence numbers and sends the packets out in the original order,

col. 6, lines 1-20].

Brewer et al. does not specifically disclose that input and output buffers having a buffer capacity

at least twice the size of the largest frame to be processed. However, Dockser discloses a packet

FIFO that makes more effective use of a packet-data channel [col. 1, lines 8-10]. Greater-than-one-maximum-sized-packet capacity buffers reduce packet latencies [col. 2, lines 39-58]. Dockser discloses FIFOs, which are at least twice the maximum-sized frame length [col. 3, lines 38-43; col. 4, lines 6-17]. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the input queues of Brewer et al. to have a capacity of at least twice the largest frame received because such a double/triple/quadruple-sized buffer increases speed and efficiency [col. 3, lines 5-7] and makes better use of a packet-data channel [col.3, lines 40-43].

Response to Arguments

6. Applicant's arguments filed September 11, 2006 have been fully considered but they are not persuasive.

7. Applicants continue to argue that the invention, without explicit claim language, is distinct from Brewer et al. because their invention provides a means of maintaining the input/output sequence in deep-packet processing tasks (i.e., preserving the sequence, in a given sequence, same given sequence) [Applicant's Amendment dated September 11, 2006, page 4, lines 4-20]. Applicants further argue that the handling of "exception" packets is counter suggestive to preserving a sequence (strict ordering) [Applicant's Amendment dated September 11, 2006, page 4, lines 21-22].

8. With respect to applicant's claim of *not* using exception packets [or using a strict ordering], Applicant's arguments fail to comply with 37 CFR 1.111(b) because they amount to a general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references.

9. Alternatively, in response to applicant's argument that the reference fails to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., *not* using exception packets [or using a strict ordering]) are not recited in the rejected claims. Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

10. Furthermore, with respect to independent claims 21 and 22, the examiner does not interpret the claimed "given sequence" as affirmatively *not* using exception packets. Having the potential to use an exception packet does not mean that an exception packet has been (or will be) generated (and, therefore, that the sequence *must be* different). The examiner has not interpreted Brewer et al. as from being precluded from maintaining the same sequence that is first input into the input buffer as is output from the output buffer.

11. Applicants argue that the input and output buffers are contained in a [one] data moving unit and that, apparently, Brewer et al. does not **[Applicant's Amendment dated September 11, 2006, page 5, lines 17-19; page 7, lines 13-15]**.

12. As stated above for claims 21 and 22, Fig. 1 of Brewer et al. discloses queues 102 and 103

well as queues 105, 106, and 107 contained together. *Arguendo*, it should be noted that

applicants have not disclosed that putting together the input and output memory solves any stated

problem or is for any particular purpose. It appears that the performance of the deep packet

processing (filtering) would result equally well with separated input and output memories. Thus,

even if the memories were not contained together, such a modification would be considered a

mere design choice consideration, which fails to patentably distinguish over the prior art. The

examiner reiterates, however, that Bruckert et al. is interpreted as having input and output

memories contained together.

13. Applicant's argue that search engines are assigned a frame in accordance with the type of

processing that is conducted on the frame **[Applicant's Amendment dated September 11,**

2006, page 5, lines 17-19].

14. As noted above in claims 21 and 22, Brewer et al. discloses that Packet Forwarding Engines

13 inspect the packet headers and performs a filtering function on the packets by destination,

whether local or external **[col. 3, lines 38-47]**. After Packet Forwarding Engines 13-0 through

13-3 inspect the packet headers, they can also determine if the packet is intended as a local

destination within the router and, accordingly, send the packet to the central processor for further

processing (filtering function) **[col. 3, lines 38-47]**. Thus, each packet forwarding engine is

interpreted as performing its own deep packet processing (filtering function). Moreover, the

ability for packet forwarding engines to inspect packet headers necessarily requires an associated

memory for buffering/queuing and processing.

15. Applicants argue that claims 21 and 22 that the frames are sequenced out of the output

buffers in the same order received [**Applicant's Amendment dated September 11, 2006, page**

6, lines 5-7]. The examiner agrees. However, the examiner disagrees with the contention that

the claim limitation of *not* using exception packets is recited in the preambles of the independent

claims 21 and 22 [*See* **paragraphs 8-10 above**].

16. Applicants argue that Brewer et al. does not perform "deep packet processing" by going

beyond the frame header [**Applicant's Amendment dated September 11, 2006, page 6, lines**

17-23]. Additionally, Applicants argue that the packet forwarding engine of Brewer et al. is

equivalent to applicant's frame header processing unit and, therefore, does not perform deep-

packet processing [**Applicant's Amendment dated September 11, 2006, page 7, lines 1-3**].

Applicants state that a filtering function is not deep packet processing [**Applicant's Amendment**

dated September 11, 2006, page 7, lines 4-5].

17. The filtering function is interpreted by the examiner as a deep packet process. This deep

packet process—the filtering function—is *specifically* disclosed in Applicant's specification *as a*

deep packet process [**"...deep-packet processing functions, such as...filtering...[are**

performed]", (page 1, lines 15-16), **"...after processing the frame header and determining**

what operation needs to be performed...[i.e., filtering]", (page 5, lines 2-4)].

18. Applicants argue, apparently, that deep packet processing is performed on only frame data

and not the frame header **[Applicant's Amendment dated September 11, 2006, page 7, lines

5-7]**.

19. In response to applicant's argument that the references fail to show certain features of

applicant's invention, it is noted that the features upon which applicant relies (i.e., not

performing deep packet processing on the frame header) are not recited in the rejected claim(s).

Although the claims are interpreted in light of the specification, limitations from the specification

are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir.

1993).

20. In the alternative, all frame data must *necessarily* be contained in either the frame header or

the frame payload (one of the conventions used by those skilled in the art).

21. Applicants argue that Brewer et al. does not disclose a memory associated with the core

engines **[Applicant's Amendment dated September 11, 2006, page 7, lines 9-11]**.

22. As noted above in claims 21 and 22, Brewer et al. discloses that Packet Forwarding Engines

13 inspect the packet headers and performs a filtering function on the packets by destination,

whether local or external **[col. 3, lines 38-47]**. After Packet Forwarding Engines 13-0 through

13-3 inspect the packet headers, they can also determine if the packet is intended as a local

destination within the router and, accordingly, send the packet to the central processor for further

processing (filtering function) **[col. 3, lines 38-47]**. Thus, each packet forwarding engine is

interpreted as performing its own deep packet processing (filtering function).   Moreover, the

ability for packet forwarding engines to inspect packet headers *necessarily* requires an associated

memory for buffering/queuing and processing.

Conclusion

23. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure:

   (a) Fawaz et al. (USP 6,654,374), Method and apparatus to reduce jitter in packet

switched networks.

   (b) Valko (USP 6,519,248), Packet data network having distributed database.

24. Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Mark A. Mais whose telephone number is 572-272-3138. The examiner

can normally be reached on M-Th 5am-4pm.

25. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Seema Rao can be reached on 571-272-3174. The fax phone number for the organization where

this application or proceeding is assigned is 571-273-8300.

26. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

September 30, 2006

SEEMA S. RAO 10/2/06
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600